



**Bearing No. HK1212**

D	18 mm
C	12 mm
Cr	6.61
Fw	12 mm
Cu	1.10
C0r	7.29
Noun	Bearing
Bore	0.472 Inch   12 Millimeter
Width	0.472 Inch   12 Millimeter
UNSPSC	31171512
Weight	0.01 Kg
C3(min)	\
rs(min)	1
r5 min.	1 mm
Category	Needle Non Thrust Roller Bearing
Oil lub.	22000
Retainer	Yes
Inventory	0.0
Size (mm)	12x18x12
Separable	No
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Closed End	No
Width (mm)	12
Grease lub.	14000
Bearing No.	HK1212
Weight / LBS	0.022

Product Group	B04144
Inch - Metric	Metric
Self Aligning	No
Keyword String	Needle
Bearing number	HK1212
Other Features	2 Rib Outer Ring   Drawn Cup Bearing   Steel Cage
Thrust Bearing	No
Relubricatable	No
Rolling Element	Needle Roller Bearing
Outside Diameter	0.709 Inch   18 Millimeter
Long Description	12MM Bore; 18MM Outside Diameter; 12MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
(Refer.)Mass(kg)	0.01
Manufacturer Name	KOYO
Weight / Kilogram	0.01
Bore Diameter (mm)	12
Outer Diameter (mm)	18
Mounting inner ring	JR8x12x12,5
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	HK1212
Number of Rows of Rollers	Single Row

(Grease) Lubrication Speed	14000 r/min
Basic static load rating (C0)	7.29 kN
Basic dynamic load rating (C)	6.61 kN