



Bearing No. 7006DF

D	55 mm
d	30 mm
B	13 mm
a	19 mm
2B	26 mm
Bore	1.181 Inch 30 Millimeter
Noun	Bearing
Width	1.024 Inch 26 Millimeter
UNSPSC	31171531
Weight	0,27 Kg
r min.	1 mm
db min	35,5 mm
ra max.	1 mm
Da max.	49,5 mm
r1 min.	0,6 mm
ra1 max.	0,6 mm
Category	Angular Contact Ball Bearing
Snap Ring	No
Inventory	0.0
Size (mm)	30x55x13
Enclosure	Open
Width (mm)	13
Weight / LBS	0.572
Flush Ground	Yes
Inch - Metric	Metric
Contact Angle	30 Degree
Cage Material	Steel
Product Group	B00308

Keyword String	Angular Contact
Bearing number	7006DF
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Angle (?)	25 °
Long Description	30MM Bore; 55MM Outside Diameter; 26MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring
Outside Diameter	2.165 Inch 55 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Weight / Kilogram	0.259
Manufacturer Name	NTN
Number of Bearings	2 (1 Pair)
Internal Clearance	C0-Medium
Bore Diameter (mm)	30
Outer Diameter (mm)	55
Mounting Arrangement	Duplex-Face to Face
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Single Row
Manufacturer Item Number	7006DF
(Grease) Lubrication Speed	11 000 r/min
Basic static load rating (C0)	18,9 kN
Basic dynamic load rating (C)	22,5 kN
Maximum Capacity /	No

Filling Slot	
--------------	--