



Bearing No. HK1312

D	19 mm
C	12 mm
Cr	6.92
Fw	13 mm
Cu	1.20
C0r	7.89
Noun	Bearing
Bore	0.512 Inch 13 Millimeter
Width	0.472 Inch 12 Millimeter
UNSPSC	31171512
Weight	0.01 Kg
C3(min)	\
rs(min)	1
r5 min.	1 mm
Category	Needle Non Thrust Roller Bearing
Oil lub.	22000
Retainer	Yes
Inventory	0.0
Size (mm)	13x19x12
Separable	No
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Closed End	No
Width (mm)	12
Grease lub.	14000
Bearing No.	HK1312
Weight / LBS	0.022

Product Group	B04144
Inch - Metric	Metric
Self Aligning	No
Keyword String	Needle
Bearing number	HK1312
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Thrust Bearing	No
Relubricatable	No
Rolling Element	Needle Roller Bearing
Long Description	13MM Bore; 19MM Outside Diameter; 12MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
Manufacturer URL	http://www.koyousa.com
(Refer.)Mass(kg)	0.01
Outside Diameter	0.748 Inch 19 Millimeter
Manufacturer Name	KOYO
Weight / Kilogram	0.01
Bore Diameter (mm)	13
Outer Diameter (mm)	19
Mounting inner ring	JR10x13x12,5
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	HK1312
Number of Rows of Rollers	Single Row

(Grease) Lubrication Speed	14000 r/min
Basic static load rating (C0)	7.89 kN
Basic dynamic load rating (C)	6.92 kN