



Bearing No. NTA-1423

H	37.31
d	22,23 mm
D	36,5 mm
T	1,984 mm
Cu	4.65
Dc	36.5
d1	36.50
Dw	1.984
Eb	24,38 mm
Ca	13.43
Ea	33,782 mm
C0a	49.82
Dc1	22.23
Noun	Roller Assembly
UNSPSC	31171500
Height	0.078 Inch 1.981 Millimeter
Banded	No
Bore 2	0.875 Inch 22.225 Millimeter
Bore 1	0.875 Inch 22.225 Millimeter
h(max)	0.81
h(min)	0.76
S(max)	22.23
Weight	0,005 Kg
S(min)	22.15
Category	Thrust Roller Bearings
Inventory	36.0
Size (mm)	22.23x36.5x1.984
Width (mm)	1,984

Bearing No.	NTA-1423
Weight / LBS	0.011
Product Group	B04144
Self Aligning	No
Cage Material	Steel
Inch - Metric	Inch
Bearing number	NTA-1423
Keyword String	Thrust Needle
Other Features	Single Row Two Piece Cage
Thrust Bearing	Yes
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1 ISO P0
Outside Diameter	1.438 Inch 36.525 Millimeter
Long Description	7/8" Bore 1; 7/8" Bore 2; 1-7/16" Outside Diameter; 5/64" Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller Assemb
(Refer.)Mass(kg)	0.005
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.005
Manufacturer Name	KOYO
Washer designation	TRA-1423
Bore Diameter (mm)	22,23
Outer Diameter (mm)	36,5
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only
Limiting speeds(min-1)	12000
Harmonized Tariff Code	8482.99.25.40

(Refer.)Washer mass(kg)	0.004
Manufacturer Item Number	NTA-1423
Single or Double Direction	Single Direction
Basic static load rating (C0)	49,82 kN
Basic dynamic load rating (C)	13,43 kN
Overall Height with Aligning Washer	0 Inch 0 Millimeter