



**Bearing No. NTA-2840**

H	64.29
d	44,45 mm
D	63,5 mm
T	1,984 mm
Cu	14.0
Dc	63.5
d1	63.50
Dw	1.984
Eb	46,74 mm
Ca	25.31
Ea	58,928 mm
C0a	137.45
Dc1	44.45
Noun	Roller Assembly
UNSPSC	31171500
Bore 2	1.75 Inch   44.45 Millimeter
Banded	No
Bore 1	1.75 Inch   44.45 Millimeter
Height	0.078 Inch   1.981 Millimeter
h(max)	0.81
h(min)	0.76
S(max)	44.45
Weight	0,014 Kg
S(min)	44.37
Category	Thrust Roller Bearings
Inventory	305.0
Size (mm)	44.45x63.5x1.984
Width (mm)	1,984

Bearing No.	NTA-2840
Weight / LBS	0.031
Product Group	B04144
Self Aligning	No
Cage Material	Steel
Inch - Metric	Inch
Bearing number	NTA-2840
Keyword String	Thrust Needle
Other Features	Single Row   Two Piece Cage
Thrust Bearing	Yes
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1   ISO P0
Outside Diameter	2.5 Inch   63.5 Millimeter
Long Description	1-3/4" Bore 1; 1-3/4" Bore 2; 2-1/2" Outside Diameter; 5/64" Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1   ISO P0; Roller Ass
(Refer.)Mass(kg)	0.014
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Weight / Kilogram	0.013
Manufacturer Name	KOYO
Bore Diameter (mm)	44,45
Washer designation	TRA-2840
Outer Diameter (mm)	63,5
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only
Limiting speeds(min-1)	6800
Harmonized Tariff Code	8482.99.25.40
(Refer.)Washer	0.010

mass(kg)	
Manufacturer Item Number	NTA-2840
Single or Double Direction	Single Direction
Basic static load rating (C0)	137,45 kN
Basic dynamic load rating (C)	25,31 kN
Overall Height with Aligning Washer	0 Inch   0 Millimeter