



**Bearing No. NTA-3244**

H	70.64
d	50,8 mm
D	69,85 mm
T	1,9837 mm
Cu	13.5
Dc	69.85
d1	69.85
Dw	1.9837
Eb	53,09 mm
Ca	24.02
Ea	65,278 mm
C0a	132.56
Dc1	50.8
Noun	Roller Assembly
UNSPSC	31171500
Bore 1	2 Inch   50.8 Millimeter
Banded	No
Bore 2	2 Inch   50.8 Millimeter
Height	0.078 Inch   1.981 Millimeter
h(max)	0.81
h(min)	0.76
S(max)	50.80
Weight	0,015 Kg
S(min)	50.72
Category	Thrust Roller Bearings
Inventory	180.0
Size (mm)	50.8x69.85x1.9837
Width (mm)	1,9837
Bearing No.	NTA-3244

Weight / LBS	0.033
Product Group	B04144
Self Aligning	No
Cage Material	Steel
Inch - Metric	Inch
Bearing number	NTA-3244
Keyword String	Thrust Needle
Other Features	Single Row   Two Piece Cage
Thrust Bearing	Yes
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1   ISO P0
Outside Diameter	2.75 Inch   69.85 Millimeter
Long Description	2" Bore 1; 2" Bore 2; 2-3/4" Outside Diameter; 5/64" Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1   ISO P0; Roller Assembly On
(Refer.)Mass(kg)	0.015
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Weight / Kilogram	0.015
Manufacturer Name	KOYO
Washer designation	TRA-3244
Bore Diameter (mm)	50,8
Outer Diameter (mm)	69,85
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only
Limiting speeds(min-1)	6100
Harmonized Tariff Code	8482.99.25.40
(Refer.)Washer mass(kg)	0.011

Manufacturer Item Number	NTA-3244
Single or Double Direction	Single Direction
Basic static load rating (C0)	132,56 kN
Basic dynamic load rating (C)	24,02 kN
Overall Height with Aligning Washer	0 Inch   0 Millimeter