



Bearing No. NTA-3650

H	80.16
d	57,15 mm
D	79,375 mm
T	3,175 mm
Cu	18.6
Dc	79.375
d1	79.38
Dw	3.175
Eb	59,94 mm
Ca	37.68
Ea	75,184 mm
C0a	177.04
Dc1	57.15
Noun	Roller Assembly
UNSPSC	31171500
Bore 2	2.25 Inch 57.15 Millimeter
Banded	No
Bore 1	2.25 Inch 57.15 Millimeter
Height	0.125 Inch 3.175 Millimeter
h(max)	2.41
h(min)	2.34
S(max)	57.15
Weight	0,029 Kg
S(min)	57.07
Category	Thrust Roller Bearings
Inventory	0.0
Size (mm)	57.15x79.375x3.175
Width (mm)	3,175

Bearing No.	NTA-3650
Weight / LBS	0.064
Product Group	B04144
Self Aligning	No
Cage Material	Steel
Inch - Metric	Inch
Bearing number	NTA-3650
Keyword String	Thrust Needle
Other Features	Single Row Two Piece Cage
Thrust Bearing	Yes
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1 ISO P0
Outside Diameter	3.125 Inch 79.375 Millimeter
Long Description	2-1/4" Bore 1; 2-1/4" Bore 2; 3-1/8" Outside Diameter; 1/8" Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller Asse
(Refer.)Mass(kg)	0.029
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.029
Manufacturer Name	KOYO
Washer designation	TRC-3650
Bore Diameter (mm)	57,15
Outer Diameter (mm)	79,375
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only
Limiting speeds(min-1)	5300
Harmonized Tariff Code	8482.99.25.40

(Refer.)Washer mass(kg)	0.043
Manufacturer Item Number	NTA-3650
Single or Double Direction	Single Direction
Basic static load rating (C0)	177,04 kN
Basic dynamic load rating (C)	37,68 kN
Overall Height with Aligning Washer	0 Inch 0 Millimeter