



**Bearing No. NTA-4458**

H	92.86
d	69,85 mm
D	92,075 mm
T	3,175 mm
Cu	26.8
Dc	92.075
d1	92.08
Dw	3.175
Eb	72,64 mm
Ca	47.60
Ea	87,884 mm
C0a	255.8
Dc1	69.85
Noun	Roller Assembly
UNSPSC	31171500
Bore 2	2.75 Inch   69.85 Millimeter
Banded	No
Bore 1	2.75 Inch   69.85 Millimeter
Height	0.125 Inch   3.175 Millimeter
h(max)	0.81
h(min)	0.76
S(max)	69.85
Weight	0,037 Kg
S(min)	69.77
Category	Thrust Roller Bearings
Inventory	33.0
Size (mm)	69.85x92.075x3.175
Width (mm)	3,175

Bearing No.	NTA-4458
Weight / LBS	0.082
Product Group	B04144
Self Aligning	No
Cage Material	Steel
Inch - Metric	Inch
Bearing number	NTA-4458
Keyword String	Thrust Needle
Other Features	Single Row   Two Piece Cage
Thrust Bearing	Yes
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1   ISO P0
Long Description	2-3/4" Bore 1; 2-3/4" Bore 2; 3-5/8" Outside Diameter; 1/8" Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1   ISO P0; Roller Asse
Outside Diameter	3.625 Inch   92.075 Millimeter
(Refer.)Mass(kg)	0.037
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Weight / Kilogram	0.04
Manufacturer Name	KOYO
Washer designation	TRA-4458
Bore Diameter (mm)	69,85
Outer Diameter (mm)	92,075
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only
Limiting speeds(min-1)	4600
Harmonized Tariff Code	8482.99.25.40

(Refer.)Washer mass(kg)	0.018
Manufacturer Item Number	NTA-4458
Single or Double Direction	Single Direction
Basic static load rating (C0)	255,8 kN
Basic dynamic load rating (C)	47,6 kN
Overall Height with Aligning Washer	0 Inch   0 Millimeter