



**Bearing No. NTA-4860**

H	96.04
d	76,2 mm
D	95,25 mm
T	1,9837 mm
Cu	17.6
Dc	95.25
d1	95.25
Dw	1.9837
Eb	78,49 mm
Ca	26.96
Ea	90,678 mm
C0a	172.1
Dc1	76.2
Noun	Roller Assembly
UNSPSC	31171500
Bore 2	3 Inch   76.2 Millimeter
Banded	No
Height	0.078 Inch   1.981 Millimeter
Bore 1	3 Inch   76.2 Millimeter
h(max)	0.81
h(min)	0.76
S(max)	76.20
Weight	0,022 Kg
S(min)	76.12
Category	Thrust Roller Bearings
Inventory	137.0
Size (mm)	76.2x95.25x1.9837
Width (mm)	1,9837
Bearing No.	NTA-4860

Weight / LBS	0.048
Product Group	B04144
Self Aligning	No
Cage Material	Steel
Inch - Metric	Inch
Bearing number	NTA-4860
Keyword String	Thrust Needle
Other Features	Single Row   Two Piece Cage
Thrust Bearing	Yes
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1   ISO P0
Outside Diameter	3.75 Inch   95.25 Millimeter
Long Description	3" Bore 1; 3" Bore 2; 3-3/4" Outside Diameter; 5/64" Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1   ISO P0; Roller Assembly On
(Refer.)Mass(kg)	0.022
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Weight / Kilogram	0.021
Manufacturer Name	KOYO
Bore Diameter (mm)	76,2
Washer designation	TRA-4860
Outer Diameter (mm)	95,25
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only
Limiting speeds(min-1)	4400
Harmonized Tariff Code	8482.99.25.40
(Refer.)Washer mass(kg)	0.015

Manufacturer Item Number	NTA-4860
Single or Double Direction	Single Direction
Basic static load rating (C0)	172,1 kN
Basic dynamic load rating (C)	26,96 kN
Overall Height with Aligning Washer	0 Inch   0 Millimeter