



Bearing No. NTA-6681

H	129.39
d	104,78 mm
D	128,57 mm
T	3,175 mm
Cu	41.3
Dc	128.57
d1	128.57
Dw	3.175
Eb	107,44 mm
Ca	63.61
Ea	124,46 mm
C0a	414.6
Dc1	104.78
Noun	Roller Assembly
UNSPSC	31171500
Bore 2	4.125 Inch 104.775 Millimeter
Banded	No
Bore 1	4.125 Inch 104.775 Millimeter
Height	0.125 Inch 3.175 Millimeter
h(max)	0.81
h(min)	0.76
S(max)	104.78
Weight	0,062 Kg
S(min)	104.70
Category	Thrust Roller Bearings
Inventory	0.0
Size (mm)	104.78x128.57x3.175
Width (mm)	3,175

Bearing No.	NTA-6681
Weight / LBS	0.136
Product Group	B04144
Self Aligning	No
Cage Material	Steel
Inch - Metric	Inch
Bearing number	NTA-6681
Keyword String	Thrust Needle
Other Features	Single Row Two Piece Cage
Thrust Bearing	Yes
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1 ISO P0
Outside Diameter	5.062 Inch 128.575 Millimeter
Long Description	4-1/8" Bore 1; 4-1/8" Bore 2; 5-1/16" Outside Diameter; 1/8" Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller Ass
(Refer.)Mass(kg)	0.062
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.061
Manufacturer Name	KOYO
Bore Diameter (mm)	104,78
Washer designation	TRA-6681
Outer Diameter (mm)	128,57
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only
Limiting speeds(min-1)	3200
Harmonized Tariff Code	8482.99.25.40

(Refer.)Washer mass(kg)	0.027
Manufacturer Item Number	NTA-6681
Single or Double Direction	Single Direction
Basic static load rating (C0)	414,6 kN
Basic dynamic load rating (C)	63,61 kN
Overall Height with Aligning Washer	0 Inch 0 Millimeter