



Bearing No. NTA-916

H	26.19
d	14,275 mm
D	25,4 mm
T	1,9837 mm
Cu	2.10
Dc	25.4
d1	25.40
Dw	1.9837
Eb	16,51 mm
Ca	7.70
Ea	22,606 mm
C0a	21.53
Dc1	14.275
Noun	Roller Assembly
UNSPSC	31171500
Bore 2	0.563 Inch 14.3 Millimeter
Banded	No
Bore 1	0.563 Inch 14.3 Millimeter
Height	0.078 Inch 1.981 Millimeter
h(max)	0.81
h(min)	0.76
S(max)	14.27
Weight	0,003 Kg
S(min)	14.20
Category	Thrust Roller Bearings
Inventory	5.0
Size (mm)	14.275x25.4x1.9837
Width (mm)	1,9837

Bearing No.	NTA-916
Weight / LBS	0.006
Product Group	B04144
Self Aligning	No
Cage Material	Steel
Inch - Metric	Inch
Bearing number	NTA-916
Keyword String	Thrust Needle
Other Features	Single Row Two Piece Cage
Thrust Bearing	Yes
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1 ISO P0
Outside Diameter	1 Inch 25.4 Millimeter
Long Description	9/16" Bore 1; 9/16" Bore 2; 1" Outside Diameter; 5/64" Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller Assembly
(Refer.)Mass(kg)	0.003
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.003
Manufacturer Name	KOYO
Bore Diameter (mm)	14,275
Washer designation	TRA-916
Outer Diameter (mm)	25,4
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only
Limiting speeds(min-1)	18000
Harmonized Tariff Code	8482.99.25.40
(Refer.)Washer mass(kg)	0.002

Manufacturer Item Number	NTA-916
Single or Double Direction	Single Direction
Basic static load rating (C0)	21,53 kN
Basic dynamic load rating (C)	7,7 kN
Overall Height with Aligning Washer	0 Inch 0 Millimeter