



Bearing No. NTA-1018

H	29.36
d	15,88 mm
D	28,575 mm
T	1,9837 mm
Cu	2.85
Dc	28.575
d1	28.58
Dw	1.9837
Eb	18,03 mm
Ca	9.79
Ea	25,908 mm
C0a	30.38
Dc1	15.88
Noun	Roller Assembly
UNSPSC	31171500
Bore 1	0.625 Inch 15.875 Millimeter
Banded	No
Height	0.078 Inch 1.981 Millimeter
Bore 2	0.625 Inch 15.875 Millimeter
h(max)	0.81
h(min)	0.76
S(max)	15.88
Weight	0,003 Kg
S(min)	15.80
Category	Thrust Roller Bearings
Inventory	136.0
Size (mm)	15.88x28.575x1.9837
Width (mm)	1,9837

Bearing No.	NTA-1018
Weight / LBS	0.007
Product Group	B04144
Self Aligning	No
Cage Material	Steel
Inch - Metric	Inch
Bearing number	NTA-1018
Keyword String	Thrust Needle
Other Features	Single Row Two Piece Cage
Thrust Bearing	Yes
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1 ISO P0
Outside Diameter	1.125 Inch 28.575 Millimeter
Long Description	5/8" Bore 1; 5/8" Bore 2; 1-1/8" Outside Diameter; 5/64" Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller Assembl
(Refer.)Mass(kg)	0.003
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.004
Manufacturer Name	KOYO
Bore Diameter (mm)	15,88
Washer designation	TRA-1018
Outer Diameter (mm)	28,575
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only
Limiting speeds(min-1)	15000
Harmonized Tariff Code	8482.99.25.40
(Refer.)Washer	0.003

mass(kg)	
Manufacturer Item Number	NTA-1018
Single or Double Direction	Single Direction
Basic static load rating (C0)	30,38 kN
Basic dynamic load rating (C)	9,79 kN
Overall Height with Aligning Washer	0 Inch 0 Millimeter