



**Bearing No. HK2012**

	IR15X20X13 / Suitable inner ring
D	26 mm
m	14 g / Weight
Bore	0.787 Inch   20 Millimeter
Noun	Roller Assembly with Outer Ring
Width	0.472 Inch   12 Millimeter
UNSPSC	31171512
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Separable	No
Enclosure	Open
Component	Roller Assembly with Outer Ring - No Inner Ring
Size (mm)	20x26x12
Inventory	23.0
Closed End	No
Width (mm)	12
Weight / LBS	0.031
$n_G$	12700 1/min / Limiting speed
$C_r$	8600 N / Dynamic load rating (radial)
Inch - Metric	Metric
Product Group	B04144
$F_w$	20 mm
Self Aligning	No
$n_B$	9000 1/min / Reference

	speed
Other Features	2 Rib Outer Ring   Drawn Cup Bearing   Steel Cage
Thrust Bearing	No
Relubricatable	No
Keyword String	Bearing Needle
Bearing number	HK2012
$C_{Or}$	12100 N / Static load rating (radial)
$C_{ur}$	1450 N / Fatigue limit load, radial
$r_{min}$	0,8 mm
Rolling Element	Needle Roller Bearing
Long Description	20MM Bore; 26MM Outside Diameter; 12MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open; Not Self Aligning; Retainer; Single Row of Rollers; Not Separable; Not Close
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Outside Diameter	1.024 Inch   26 Millimeter
Weight / Kilogram	0.014
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	20
Outer Diameter (mm)	26
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.99.65.30
Manufacturer Item Number	HK2012
Number of Rows of Rollers	Single Row

C - 12 mm / Tolerance: -0,3	12 mm / Tolerance: 0,3
--------------------------------	------------------------