


Bearing No. HK2012



D	26 mm
C	12 mm
Cr	8.97
Fw	20 mm
Cu	1.90
C0r	12.5
Noun	Bearing
Bore	0.787 Inch 20 Millimeter
Width	0.472 Inch 12 Millimeter
UNSPSC	31171512
Weight	0.015 Kg
C3(min)	\
rs(min)	1
r5 min.	1 mm
Category	Needle Non Thrust Roller Bearing
Oil lub.	16000
Retainer	Yes
Inventory	0.0
Size (mm)	20x26x12
Separable	No
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Closed End	No
Width (mm)	12
Grease lub.	11000
Bearing No.	HK2012
Weight / LBS	0.033

Product Group	B04144
Inch - Metric	Metric
Self Aligning	No
Keyword String	Needle
Bearing number	HK2012
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Thrust Bearing	No
Relubricatable	No
Rolling Element	Needle Roller Bearing
Long Description	20MM Bore; 26MM Outside Diameter; 12MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
Manufacturer URL	http://www.koyousa.com
(Refer.)Mass(kg)	0.015
Outside Diameter	1.024 Inch 26 Millimeter
Manufacturer Name	KOYO
Weight / Kilogram	0.019
Bore Diameter (mm)	20
Outer Diameter (mm)	26
Mounting inner ring	JR15x20x12
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	HK2012
Number of Rows of Rollers	Single Row

(Grease) Lubrication Speed	11000 r/min
Basic static load rating (C0)	12.5 kN
Basic dynamic load rating (C)	8.97 kN