




Bearing No. HK2216

	IR17X22X16 / Suitable inner ring
D	28 mm
m	21 g / Weight
Bore	0.866 Inch 22 Millimeter
Noun	Roller Assembly with Outer Ring
Width	0.63 Inch 16 Millimeter
UNSPSC	31171512
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Separable	No
Enclosure	Open
Component	Roller Assembly with Outer Ring - No Inner Ring
Size (mm)	22x28x16
Inventory	0.0
Closed End	No
Width (mm)	16
Weight / LBS	0.046
n_G	11700 1/min / Limiting speed
C_r	13400 N / Dynamic load rating (radial)
Inch - Metric	Metric
Product Group	B04144
F_w	22 mm
Self Aligning	No
n_B	8000 1/min / Reference speed

Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Thrust Bearing	No
Relubricatable	No
Keyword String	Bearing Needle
Bearing number	HK2216
C_{Or}	22100 N / Static load rating (radial)
C_{ur}	2800 N / Fatigue limit load, radial
r_{min}	0,8 mm
Rolling Element	Needle Roller Bearing
Long Description	22MM Bore; 28MM Outside Diameter; 16MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open; Not Self Aligning; Retainer; Single Row of Rollers; Not Separable; Not Close
Manufacturer URL	http://www.ina.com
Outside Diameter	1.102 Inch 28 Millimeter
Weight / Kilogram	0
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	22
Outer Diameter (mm)	28
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.99.65.30
Manufacturer Item Number	HK2216
Number of Rows of Rollers	Single Row
C - 16 mm / Tolerance:	16 mm / Tolerance: 0,3

-0,3	
------	--