




Bearing No. SL192314

F	84,14 mm
m	4,33 kg / Weight
s	3,5 mm / Axial displacement
d	70 mm
D	150 mm
B	51 mm
Bore	2.756 Inch 70 Millimeter
Noun	Bearing
Width	2.008 Inch 51 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Size (mm)	70x150x51
Inventory	0.0
Snap Ring	No
Separable	Inner Ring - One Side
Width (mm)	51
Bore Profile	Straight
Weight / LBS	11.431
Cage Material	None
Inch - Metric	Metric
Product Group	B04144
C _r	385000 N / Dynamic load rating (radial)
D ₁	121,6 mm
d ₁	93,5 mm

n_G	3050 1/min / Limiting speed
Bearing number	SL192314
Other Features	Full Complement 1 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C_{ur}	72000 N / Fatigue limit load, radial
C_{Or}	385000 N / Static load rating (radial)
r_{min}	2,1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	70MM Bore; Straight Bore Profile; 150MM Outside Diameter; 51MM Width; RBEC 1 ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retai
Manufacturer URL	http://www.ina.com
Outside Diameter	5.906 Inch 150 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	5.19
Internal Clearance	C0-Medium
Bore Diameter (mm)	70
Outer Diameter (mm)	150
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00



Manufacturer Item Number	SL192314
Number of Rows of Rollers	Single Row