



Bearing No. SL192316

F	98,24 mm
m	6,32 kg / Weight
s	3,5 mm / Axial displacement
d	80 mm
D	170 mm
B	58 mm
Bore	3.15 Inch 80 Millimeter
Noun	Bearing
Width	2.283 Inch 58 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Size (mm)	80x170x58
Inventory	0.0
Snap Ring	No
Separable	Inner Ring - One Side
Width (mm)	58
Bore Profile	Straight
Weight / LBS	16.685
Cage Material	None
Inch - Metric	Metric
Product Group	B04144
C _r	540000 N / Dynamic load rating (radial)
D ₁	142,1 mm
d ₁	109,5 mm

n _G	2600 1/min / Limiting speed
Bearing number	SL192316
Other Features	Full Complement 1 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C _{ur}	100000 N / Fatigue limit load, radial
C _{0r}	560000 N / Static load rating (radial)
r _{min}	2,1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	80MM Bore; Straight Bore Profile; 170MM Outside Diameter; 58MM Width; RBEC 1 ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retai
Manufacturer URL	http://www.ina.com
Outside Diameter	6.693 Inch 170 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	7.575
Internal Clearance	C0-Medium
Bore Diameter (mm)	80
Outer Diameter (mm)	170
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00

Manufacturer Item Number	SL192316
Number of Rows of Rollers	Single Row