



Bearing No. HK2526

	IR20X25X26,5 / Suitable inner ring
D	32 mm
m	44 g / Weight
Bore	0.984 Inch 25 Millimeter
Noun	Roller Assembly with Outer Ring
Width	1.024 Inch 26 Millimeter
UNSPSC	31171512
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Separable	No
Enclosure	Open
Component	Roller Assembly with Outer Ring - No Inner Ring
Size (mm)	25x32x26
Inventory	0.0
Closed End	No
Width (mm)	26
Weight / LBS	0.097
n _G	10200 1/min / Limiting speed
C _r	25500 N / Dynamic load rating (radial)
Inch - Metric	Metric
Product Group	B04144
F _w	25 mm
Self Aligning	No
n _B	6900 1/min / Reference

	speed
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Thrust Bearing	No
Relubricatable	No
Keyword String	Bearing Needle
Bearing number	HK2526
C_{Or}	45000 N / Static load rating (radial)
C_{ur}	6200 N / Fatigue limit load, radial
r_{min}	0,8 mm
Rolling Element	Needle Roller Bearing
Long Description	25MM Bore; 32MM Outside Diameter; 26MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open; Not Self Aligning; Retainer; Single Row of Rollers; Not Separable; Not Close
Manufacturer URL	http://www.ina.com
Outside Diameter	1.26 Inch 32 Millimeter
Weight / Kilogram	0
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	25
Outer Diameter (mm)	32
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.99.65.30
Manufacturer Item Number	HK2526
Number of Rows of Rollers	Single Row
C - 26 mm / Tolerance:	26 mm / Tolerance: 0,3

-0,3	
------	--