



Bearing No. HK2820-2RS

	IR22X28X20,5 / Suitable inner ring
D	35 mm
m	34 g / Weight
Bore	1.102 Inch 28 Millimeter
Noun	Bearing
Width	0.787 Inch 20 Millimeter
UNSPSC	31171512
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Enclosure	2 Seals
Size (mm)	28x35x20
Inventory	0.0
Component	Roller Assembly with Outer Ring - No Inner Ring
Separable	No
Closed End	No
Width (mm)	20
Weight / LBS	0.075
C _r	16400 N / Dynamic load rating (radial)
Inch - Metric	Metric
Product Group	B04144
F _w	28 mm
Self Aligning	No
Keyword String	Needle
Thrust Bearing	No
Relubricatable	No

Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Bearing number	HK2820-2RS
C_{ur}	3450 N / Fatigue limit load, radial
C_{Or}	26500 N / Static load rating (radial)
Rolling Element	Needle Roller Bearing
r_{min}	0,8 mm
Outside Diameter	1.378 Inch 35 Millimeter
Long Description	28MM Bore; 35MM Outside Diameter; 20MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; 2 Seals Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable
Manufacturer URL	http://www.ina.com
Weight / Kilogram	0.041
Manufacturer Name	SCHAEFFLER GROUP
$n_{G \text{ Fett}}$	6000 1/min / Limiting speed for grease lubrication
Bore Diameter (mm)	28
Outer Diameter (mm)	35
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	HK28202RS
Number of Rows of Rollers	Single Row
C_1 - 20 mm / Tolerance: -0,3	20 mm / Tolerance: 0,3

