



Bearing No. GEC 380 TXA-2RS

C	160 mm
d	380 mm
D	520 mm
B	190 mm
?	4 °
Bore	14.961 Inch 380 Millimeter
Noun	Bearing
UNSPSC	31171515
?	4 °
Category	Plain Bearings Spherical Radial
Inventory	0.0
Lubricant	Maintenance free – dry lubrication
Enclosure	2 Seals
Size (mm)	380x520x190
Keyword 3	Spherical
Width (mm)	190
Weight / LBS	275.578
Inch - Metric	Metric
Self Aligning	Yes
Overall Width	7.48 Inch 190 Millimeter
Product Group	B04264
Housing Width	6.299 Inch 160 Millimeter
dk	450 mm
dk	450 mm
Keyword String	Plain Spherical Radial
Other Features	2 Piece Axially Split Outer Ring Chrome

	Plated Ball Self Lubricating Double Lip Seals
Bearing number	GEC 380 TXA-2RS
Relubricatable	No
Rolling Element	Spherical Plain
Material - Ball	Steel
Sealing solution	Double-lip seals
Outside Diameter	20.472 Inch 520 Millimeter
Manufacturer URL	http://www.skf.com
Long Description	380MM Bore; 160MM Housing Width; 520MM Outside Diameter; Spherical Plain; Steel Outer Member; Steel Ball; Teflon Liner; 190MM Overall Width; Not Relubricatable
Material - Liner	Teflon
Manufacturer Name	SKF
Weight / Kilogram	137.5
r_a max.	1.5 mm
D_a max.	490 mm
D_a min.	445 mm
d_a max.	407 mm
d_a min.	400 mm
r_2 min.	4 mm
r_1 min.	1.5 mm
Bore Diameter (mm)	380
r_b max.	4 mm
Mass plain bearing	125 kg
Outer Diameter (mm)	520
D_a - min.	445 mm
Minimum Buy Quantity	N/A

r_b - max.	4 mm
r_a - max.	1.5 mm
D_a - max.	490 mm
d_a - max.	407 mm
r_1 - min.	1.5 mm
r_2 - min.	4 mm
d_a - min.	400 mm
Harmonized Tariff Code	8483.30.80.70
Material - Outer Member	Steel
Manufacturer Item Number	GEC 380 TXA-2RS
Basic dynamic load rating C	19300 kN
Basic dynamic load rating - C	19300 kN
Specific dynamic load factor K	300 N/mm ²
Specific factor dynamic load - K	300 N/mm ²
Basic static load rating C_0	32500 kN
Basic static load rating - C_0	32500 kN
Specific static load factor K_0	500 N/mm ²
Specific factor static load - K_0	500 N/mm ²
Design (sliding contact surface combination)	Steel/PTFE fabric