



Bearing No. SL185026

E	184,4 mm
d	130 mm
D	200 mm
B	95 mm
C	47,5 mm
s	5 mm / Axial displacement
m	10,2 kg / Weight
Bore	5.118 Inch 130 Millimeter
Noun	Bearing
Width	3.74 Inch 95 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Inventory	0.0
Separable	No
Size (mm)	130x200x95
Snap Ring	No
Width (mm)	95
Weight / LBS	26.928
Bore Profile	Straight
Cage Material	None
Product Group	B04144
Inch - Metric	Metric
n_G	1990 1/min / Limiting speed
d_1	148,6 mm

D ₁	175,5 mm
C _r	730000 N / Dynamic load rating (radial)
Relubricatable	Yes
Other Features	Full Complement 3 Rib Inner Ring 1 Rib Outer Ring with Retaining Ring Operating Temperature From -30 to 120 Deg
Bearing number	SL185026
C _{ur}	164000 N / Fatigue limit load, radial
C _{Or}	1210000 N / Static load rating (radial)
r _{min}	2 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	130MM Bore; Straight Bore Profile; 200MM Outside Diameter; 95MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	7.874 Inch 200 Millimeter
Weight / Kilogram	12.225
Manufacturer Name	SCHAEFFLER GROUP
Internal Clearance	C0-Medium
Bore Diameter (mm)	130
Outer Diameter (mm)	200
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00

Manufacturer Item Number	SL185026
Number of Rows of Rollers	Double Row