



Bearing No. SL185028

E	198,4 mm
C	47,5 mm
m	11,1 kg / Weight
s	5 mm / Axial displacement
d	140 mm
D	210 mm
B	95 mm
Noun	Bearing
Bore	5.512 Inch 140 Millimeter
Width	3.74 Inch 95 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Size (mm)	140x210x95
Snap Ring	No
Separable	No
Inventory	0.0
Width (mm)	95
Weight / LBS	29.304
Bore Profile	Straight
Inch - Metric	Metric
Cage Material	None
Product Group	B04144
C _r	770000 N / Dynamic load rating (radial)
D ₁	189,5 mm

d ₁	162,6 mm
n _G	1820 1/min / Limiting speed
Bearing number	SL185028
Other Features	Full Complement 3 Rib Inner Ring 1 Rib Outer Ring with Retaining Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C _{ur}	177000 N / Fatigue limit load, radial
C _{Or}	1330000 N / Static load rating (radial)
r _{min}	2 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	140MM Bore; Straight Bore Profile; 210MM Outside Diameter; 95MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	8.268 Inch 210 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	13.3
Internal Clearance	C0-Medium
Bore Diameter (mm)	140
Outer Diameter (mm)	210
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00

Manufacturer Item Number	SL185028
Number of Rows of Rollers	Double Row