



**Bearing No. SL185038**

E	269,76 mm
m	31,3 kg / Weight
s	8,2 mm / Axial displacement
d	190 mm
D	290 mm
B	136 mm
C	68 mm
Noun	Bearing
Bore	7.48 Inch   190 Millimeter
Width	5.354 Inch   136 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Size (mm)	190x290x136
Snap Ring	No
Separable	No
Inventory	0.0
Width (mm)	136
Weight / LBS	82.632
Bore Profile	Straight
Inch - Metric	Metric
Cage Material	None
Product Group	B04144
C <sub>r</sub>	1430000 N / Dynamic load rating (radial)
D <sub>1</sub>	259 mm

d <sub>1</sub>	221,8 mm
n <sub>G</sub>	1320 1/min / Limiting speed
Bearing number	SL185038
Other Features	Full Complement   3 Rib Inner Ring   1 Rib Outer Ring with Retaining Ring   Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C <sub>ur</sub>	320000 N / Fatigue limit load, radial
C <sub>Or</sub>	2600000 N / Static load rating (radial)
r <sub>min</sub>	2,1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1   ISO P0
Long Description	190MM Bore; Straight Bore Profile; 290MM Outside Diameter; 136MM Width; RBEC 1   ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Outside Diameter	11.417 Inch   290 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	37.52
Internal Clearance	C0-Medium
Bore Diameter (mm)	190
Outer Diameter (mm)	290
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00

Manufacturer Item Number	SL185038
Number of Rows of Rollers	Double Row