



Bearing No. J-1212

D	25.400 mm
C	19.05 mm
Fw	19.050 mm
Cr	15.52
Cu	3.35
C0r	21.62
Noun	Bearing
Bore	0.75 Inch 19.05 Millimeter
Width	0.75 Inch 19.05 Millimeter
UNSPSC	31171512
Y(max)	1.02
Weight	0.020 Kg
Oil lub.	18000
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Size (mm)	19.050x25.400x19.05
Separable	No
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Inventory	30.0
Width (mm)	19.05
Closed End	No
Grease lub.	11000
Bearing No.	J-1212
Weight / LBS	0.045
Product Group	B04144
Self Aligning	No

Inch - Metric	Inch
Keyword String	Needle
Bearing number	J-1212
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Thrust Bearing	No
Relubricatable	No
Rolling Element	Needle Roller Bearing
(Refer.)Mass(kg)	0.020
Manufacturer URL	http://www.koyousa.com
Long Description	3/4" Bore; 1" Outside Diameter; 3/4" Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Yes Retainer; Single Row of Rollers
Outside Diameter	1 Inch 25.4 Millimeter
Manufacturer Name	KOYO
Weight / Kilogram	0.02
Bore Diameter (mm)	19.050
Outer Diameter (mm)	25.400
Mounting inner ring	IR-812(1)
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	J-1212
Number of Rows of Rollers	Single Row
(Grease) Lubrication Speed	11000 r/min
Basic static load rating (C0)	21.62 kN

Basic dynamic load rating (C)	15.52 kN
-------------------------------	----------