



Bearing No. NK8/16

D	15 mm
C	16 mm
Fw	8 mm
Cr	5.22
Cu	0.880
C0r	5.78
Noun	Bearing
Bore	0.315 Inch 8 Millimeter
Width	0.63 Inch 16 Millimeter
UNSPSC	31171512
Weight	0,013 Kg
rs(min)	0.3
r5 min.	0,3 mm
Oil lub.	41000
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Size (mm)	8x15x16
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Separable	No
Inventory	0.0
Width (mm)	16
Closed End	No
Grease lub.	26000
Bearing No.	NK8/16
Weight / LBS	0.029
Product Group	B04144
Self Aligning	No

Inch - Metric	Metric
Keyword String	Needle
Bearing number	NK8/16
Other Features	Outer Ring with 2 Retaining Rings Steel Cage
Thrust Bearing	No
Relubricatable	No
Rolling Element	Needle Roller Bearing
Outside Diameter	0.591 Inch 15 Millimeter
Long Description	8MM Bore; 15MM Outside Diameter; 16MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; No
(Refer.)Mass(kg)	0.013
Manufacturer URL	http://www.koyousa.com
Manufacturer Name	KOYO
Weight / Kilogram	0.01
Bore Diameter (mm)	8
Outer Diameter (mm)	15
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	NK8/16
Number of Rows of Rollers	Single Row
(Grease) Lubrication Speed	26000 r/min
Basic static load rating (C0)	5,78 kN

Basic dynamic load rating (C)	5,22 kN
-------------------------------	---------