



Bearing No. SL185016

E	117,4 mm
m	2,59 kg / Weight
s	3,5 mm / Axial displacement
d	80 mm
D	125 mm
B	60 mm
C	30 mm
Noun	Bearing
Bore	3.15 Inch 80 Millimeter
Width	2.362 Inch 60 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Size (mm)	80x125x60
Snap Ring	No
Separable	No
Inventory	0.0
Width (mm)	60
Weight / LBS	6.838
Bore Profile	Straight
Inch - Metric	Metric
Cage Material	None
Product Group	B04144
C _r	330000 N / Dynamic load rating (radial)
D ₁	111,7 mm

d ₁	95 mm
n _G	3200 1/min / Limiting speed
Bearing number	SL185016
Other Features	Full Complement 3 Rib Inner Ring 1 Rib Outer Ring with Retaining Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C _{ur}	81000 N / Fatigue limit load, radial
C _{Or}	440000 N / Static load rating (radial)
r _{min}	1,1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	80MM Bore; Straight Bore Profile; 125MM Outside Diameter; 60MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	4.921 Inch 125 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	3.104
Internal Clearance	C0-Medium
Bore Diameter (mm)	80
Outer Diameter (mm)	125
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00

Manufacturer Item Number	SL185016
Number of Rows of Rollers	Double Row