



Bearing No. NU2338EM

S	6,2 mm
D	400 mm
r	5
C	132 mm
B	132 mm
d	190 mm
Fw	240 mm
ra	4
Z_	14
rb	4
C0	2520
r1	5
da	210
D_	400
B_	132
DE_	352
DA_	56
DI_	240
yobi	NU2338EM
SDM_	296
KBRG	4145
mass	85
SBRG	23
dd min	268
ALPHA_	0
dc min	248
db max	235
C_conv	1770000
LangID	1
Weight	86,2 Kg

r min.	5 mm
db min	210 mm
hidYobi	NU2338EM
ra max.	4 mm
rb max.	4 mm
db max.	235 mm
Da max.	380 mm
TSR rpm	1400
D_a max	380
GRS rpm	1300
da min.	210 mm
r1 min.	5 mm
Oil rpm	1600
Category	Bearings
hidTable	ecat_NSCLDR
Size (mm)	190x400x132
Macha rpm	2000
Inventory	0.0
Width (mm)	132
Prod_Type3	CRB_SR_NU
Product Group	B00308
Bearing number	NU2338EM
Manufacturer Name	NSK
Weight / Kilogram	0
Bore Diameter (mm)	190
Outer Diameter (mm)	400
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	1 300 r/min
Basic dynamic load rating (C)	1770 kN
Basic static load rating (C0)	2520 kN

