



Bearing No. NU2330EM

S	2,2 mm
D	320 mm
r	4
C	108 mm
B	108 mm
d	150 mm
Fw	193 mm
ra	3
Z_	14
rb	3
C0	1600
r1	4
da	166
D_	320
B_	108
DE_	283
DA_	45
DI_	193
yobi	NU2330EM
SDM_	238
KBRG	4145
mass	44.6
SBRG	23
dd min	213
ALPHA_	0
dc min	195
db max	188
C_conv	1160000
LangID	1
Weight	45,1 Kg

r min.	4 mm
db min	166 mm
hidYobi	NU2330EM
ra max.	3 mm
rb max.	3 mm
db max.	188 mm
Da max.	304 mm
TSR rpm	2000
D_a max	304
GRS rpm	1600
da min.	166 mm
r1 min.	4 mm
Oil rpm	2000
Category	Bearings
hidTable	ecat_NSCLDR
Size (mm)	150x320x108
Macha rpm	2400
Inventory	0.0
Width (mm)	108
Prod_Type3	CRB_SR_NU
Product Group	B04144
Bearing number	NU2330EM
Manufacturer Name	NSK
Weight / Kilogram	40
Bore Diameter (mm)	150
Outer Diameter (mm)	320
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	1 600 r/min
Basic dynamic load rating (C)	1160 kN
Basic static load rating (C0)	1600 kN

