



Bearing No. NU2328EM

S	2,8 mm
D	300 mm
r	4
C	102 mm
B	102 mm
d	140 mm
Fw	180 mm
ra	3
Z_	14
rb	3
C0	1380
r1	4
da	156
D_	300
B_	102
DE_	264
DA_	42
DI_	180
yobi	NU2328EM
SDM_	222
KBRG	4145
mass	37.2
SBRG	23
dd min	198
ALPHA_	0
dc min	182
db max	176
C_conv	1020000
LangID	1
Weight	37,7 Kg

r min.	4 mm
db min	156 mm
hidYobi	NU2328EM
ra max.	3 mm
rb max.	3 mm
db max.	176 mm
Da max.	284 mm
TSR rpm	2200
D_a max	284
GRS rpm	1700
da min.	156 mm
r1 min.	4 mm
Oil rpm	2200
Category	Bearings
hidTable	ecat_NSCLDR
Size (mm)	140x300x102
Macha rpm	2600
Inventory	0.0
Width (mm)	102
Prod_Type3	CRB_SR_NU
Product Group	B04144
Bearing number	NU2328EM
Manufacturer Name	NSK
Weight / Kilogram	35
Bore Diameter (mm)	140
Outer Diameter (mm)	300
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	1 700 r/min
Basic dynamic load rating (C)	36,545 kN
Basic static load rating (C0)	1380 kN

