



Bearing No. NU232EM

S	1,8 mm
D	290 mm
r	3
C	48 mm
B	48 mm
d	160 mm
Fw	195 mm
ra	2.5
Z_	19
rb	2.5
C0	665
r1	3
da	173
D_	290
B_	48
DE_	259
DA_	32
DI_	195
yobi	NU232EM
SDM_	227
KBRG	4145
mass	14.5
SBRG	2
dd min	210
ALPHA_	0
dc min	197
db max	190
C_conv	500000
LangID	1
Weight	14,7 Kg

r min.	3 mm
db min	173 mm
hidYobi	NU232EM
ra max.	2,5 mm
rb max.	2,5 mm
db max.	190 mm
Da max.	277 mm
TSR rpm	2600
D_a max	277
GRS rpm	2200
da min.	173 mm
r1 min.	3 mm
Oil rpm	2600
Category	Bearings
hidTable	ecat_NSCLDR
Size (mm)	160x290x48
Macha rpm	4000
Inventory	0.0
Width (mm)	48
Prod_Type3	CRB_SR_NU
Product Group	B04144
Bearing number	NU232EM
Manufacturer Name	NSK
Weight / Kilogram	14.5
Bore Diameter (mm)	160
Outer Diameter (mm)	290
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	2 200 r/min
Basic dynamic load rating (C)	500 kN
Basic static load rating (C0)	665 kN

