



### Bearing No. NU2326EM

S	2,3 mm
D	280 mm
r	4
C	93 mm
B	93 mm
d	130 mm
Fw	167 mm
ra	3
Z_	14
rb	3
C0	1230
r1	4
da	146
D_	280
B_	93
DE_	247
DA_	40
DI_	167
yobi	NU2326EM
SDM_	207
KBRG	4145
mass	29.6
SBRG	23
dd min	184
ALPHA_	0
dc min	169
db max	163
C_conv	920000
LangID	1
Weight	30 Kg

r min.	4 mm
db min	146 mm
hidYobi	NU2326EM
ra max.	3 mm
rb max.	3 mm
db max.	163 mm
Da max.	264 mm
TSR rpm	2400
D_a max	264
GRS rpm	1900
da min.	146 mm
r1 min.	4 mm
Oil rpm	2400
Category	Roller Bearings
hidTable	ecat_NSCLDR
Size (mm)	130x280x93
Macha rpm	3800
Inventory	0.0
Width (mm)	93
Prod_Type3	CRB_SR_NU
Product Group	B04144
Bearing number	NU2326EM
Manufacturer Name	NSK
Weight / Kilogram	29
Bore Diameter (mm)	130
Outer Diameter (mm)	280
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	1 900 r/min
Basic dynamic load rating (C)	920 kN
Basic static load rating (C0)	1230 kN

