



Bearing No. SL185008

E	61,74 mm
m	0,56 kg / Weight
s	1,5 mm / Axial displacement
d	40 mm
D	68 mm
B	38 mm
C	19 mm
Noun	Bearing
Bore	1.575 Inch 40 Millimeter
Width	1.496 Inch 38 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Size (mm)	40x68x38
Snap Ring	No
Separable	No
Inventory	0.0
Width (mm)	38
Weight / LBS	1.478
Bore Profile	Straight
Inch - Metric	Metric
Cage Material	None
Product Group	B04144
C _r	113000 N / Dynamic load rating (radial)
D ₁	57,2 mm

d ₁	50,5 mm
n _G	6300 1/min / Limiting speed
Bearing number	SL185008
Other Features	Full Complement 3 Rib Inner Ring 1 Rib Outer Ring with Retaining Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C _{ur}	22400 N / Fatigue limit load, radial
C _{Or}	133000 N / Static load rating (radial)
r _{min}	1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	40MM Bore; Straight Bore Profile; 68MM Outside Diameter; 38MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	2.677 Inch 68 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.671
Internal Clearance	C0-Medium
Bore Diameter (mm)	40
Outer Diameter (mm)	68
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00

Manufacturer Item Number	SL185008
Number of Rows of Rollers	Double Row