



### Bearing No. NU2232EM

S	3,3 mm
D	290 mm
r	3
C	80 mm
B	80 mm
d	160 mm
Fw	193 mm
ra	2.5
Z_	18
rb	2.5
C0	1190
r1	3
da	173
D_	290
B_	80
DE_	261
DA_	34
DI_	193
yobi	NU2232EM
SDM_	227
KBRG	4145
mass	24.3
SBRG	22
dd min	210
ALPHA_	0
dc min	197
db max	188
C_conv	810000
LangID	1
Weight	24,5 Kg

r min.	3 mm
db min	173 mm
hidYobi	NU2232EM
ra max.	2,5 mm
rb max.	2,5 mm
db max.	188 mm
Da max.	277 mm
TSR rpm	2400
D_a max	277
GRS rpm	1900
da min.	173 mm
r1 min.	3 mm
Oil rpm	2400
Category	Bearings
hidTable	ecat_NSCLDR
Size (mm)	160x290x80
Macha rpm	3600
Inventory	0.0
Width (mm)	80
Prod_Type3	CRB_SR_NU
Product Group	B04144
Bearing number	NU2232EM
Manufacturer Name	NSK
Weight / Kilogram	23.5
Bore Diameter (mm)	160
Outer Diameter (mm)	290
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	1 900 r/min
Basic dynamic load rating (C)	810 kN
Basic static load rating (C0)	1190 kN

