



Bearing No. NU2234EM

S	2,8 mm
D	310 mm
r	4
C	86 mm
B	86 mm
d	170 mm
Fw	205 mm
ra	3
Z_	16
rb	3
C0	1330
r1	4
da	186
D_	310
B_	86
DE_	281
DA_	38
DI_	205
yobi	NU2234EM
SDM_	243
KBRG	4145
mass	29.4
SBRG	22
dd min	223
ALPHA_	0
dc min	211
db max	200
C_conv	925000
LangID	1
Weight	29,9 Kg

r min.	4 mm
db min	186 mm
hidYobi	NU2234EM
ra max.	3 mm
rb max.	3 mm
db max.	200 mm
Da max.	294 mm
TSR rpm	2200
D_a max	294
GRS rpm	1800
da min.	186 mm
r1 min.	4 mm
Oil rpm	2200
Category	Bearings
hidTable	ecat_NSCLDR
Size (mm)	170x310x86
Macha rpm	3200
Inventory	0.0
Width (mm)	86
Prod_Type3	CRB_SR_NU
Product Group	B04144
Bearing number	NU2234EM
Manufacturer Name	NSK
Weight / Kilogram	30
Bore Diameter (mm)	170
Outer Diameter (mm)	310
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	1 800 r/min
Basic dynamic load rating (C)	925 kN
Basic static load rating (C0)	1330 kN

