



Bearing No. NU2208E

d	40 mm
D	80 mm
B	23 mm
C	23 mm
Fw	49,5 mm
Bore	1.575 Inch 40 Millimeter
Noun	Bearing
Width	0.906 Inch 23 Millimeter
Weight	0,552 Kg
UNSPSC	31171547
r min.	1,1 mm
Profile	Complete with Outer and Inner Ring
r1 min.	1,1 mm
Retainer	Yes
Category	Cylindrical Roller Bearing
Size (mm)	40x80x23
Inventory	0.0
Snap Ring	No
Separable	Inner Ring - Both Sides
Width (mm)	23
Weight / LBS	1.18
Bore Profile	Straight
Product Group	B04144
Cage Material	Steel
Inch - Metric	Metric
Bearing number	NU2208E
Relubricatable	Yes

Other Features	High Capacity Plain Inner Ring 2 Rib Outer Ring Cage On Outer Ring ID Case Carburized Rings and Rollers
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Outside Diameter	3.15 Inch 80 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Long Description	40MM Bore; Straight Bore Profile; 80MM Outside Diameter; 23MM Width; Steel Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Inter
Manufacturer Name	NTN
Weight / Kilogram	0.54
Internal Clearance	C0-Medium
Bore Diameter (mm)	40
Outer Diameter (mm)	80
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	NU2208E
Number of Rows of Rollers	Single Row
(Grease) Lubrication Speed	7 600 r/min
Basic static load rating (C0)	77,5 kN
Basic dynamic load rating (C)	72,5 kN

