



Bearing No. 331300

B	615.95 mm
d	595.312 mm
T	615.95 mm
D	844.55 mm
Size (mm)	615.95x595.312x615.95
Width (mm)	615,95
Mass bearing	1115 kg
Bearing number	331300
Thrust factor K	1.76
Thrust factor - K	1.76
Bore Diameter (mm)	615,95
Outer Diameter (mm)	595,312
Calculation factor e	0.33
r <sub>3,4</sub> min.	6.4 mm
r <sub>1,2</sub> min.	3.3 mm
d <sub>1</sub> ?	653 mm
D <sub>1</sub> ?	749 mm
Calculation factor - e	0.33
Design variant/feature	TQO.1/GWI
r <sub>1,2</sub> - min.	3.3 mm
Basic dynamic load rating C	13400 kN
Basic dynamic load rating - C	13400 kN
Calculation factor Y <sub>1</sub>	2
Fatigue load limit P <sub>u</sub>	2400 kN
Calculation factor Y <sub>2</sub>	3
Calculation factor Y <sub>0</sub>	2
Calculation factor - Y <sub>2</sub>	3
Calculation factor - Y <sub>1</sub>	2

Fatigue load limit - $P_u$	2400 kN
Calculation factor - $Y_0$	2
Basic static load rating $C_0$	36500 kN
Basic static load rating - $C_0$	36500 kN
Comparative radial load rating $C_F$	3600 kN
Comparative axial load rating $C_{Fa}$	580 kN
Comparative axial load rating - $C_{Fa}$	580 kN
Comparative radial load rating - $C_F$	3600 kN