




Bearing No. NA4906

S	0,8 mm / Axial displacement
D	47 mm
m	101 g / Weight
F	35 mm
B	17 mm
d	30 mm
Noun	Bearing
Bore	1.181 Inch 30 Millimeter
Width	0.669 Inch 17 Millimeter
UNSPSC	31171512
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Enclosure	Open
Component	Complete with Outer and Inner Ring
Separable	Inner Ring - Both Sides
Inventory	0.0
Size (mm)	30x47x17
Width (mm)	17
Closed End	No
Weight / LBS	0.223
n_B	6800 1/min / Reference speed
Inch - Metric	Metric
Product Group	B04144
n_G	12600 1/min / Limiting speed
C_r	28500 N / Dynamic load rating (radial)

Self Aligning	No
Other Features	Plain Inner Ring 2 Rib Outer Ring Precision Bearing Steel Cage Ground Raceway with Rib Oil Hole
Bearing number	NA4906
Keyword String	Needle
Thrust Bearing	No
C_{ur}	6400 N / Fatigue limit load, radial
C_{Or}	35500 N / Static load rating (radial)
Relubricatable	Yes
Rolling Element	Needle Roller Bearing
r_{min}	0,3 mm
Manufacturer URL	http://www.ina.com
Long Description	30MM Bore; 47MM Outside Diameter; 17MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; Inner Ring - Both Sides Sepa
Outside Diameter	1.85 Inch 47 Millimeter
Weight / Kilogram	0.1
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	30
Outer Diameter (mm)	47
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	NA4906



Number of Rows of Rollers	Single Row
------------------------------	------------