



Bearing No. 6203LLBNR

C	12,000 mm
d	17,000 mm
D	40,000 mm
B	12,000 mm
Bore	0.669 Inch 17 Millimeter
Noun	Bearing
UNSPSC	31171504
series:	62
Category	Single Row Ball Bearing
Snap Ring	Yes
Inventory	0.0
Enclosure	2 Seals
Size (mm)	17x40x12
Width (mm)	12,000
bore type:	Round
Weight / LBS	0.143
maximum rpm:	21000 RPM
Cage Material	Steel
closure type:	Double Sealed
Product Group	B00308
Inch - Metric	Metric
Keyword String	Ball
Other Features	Deep Groove Non-Friction Nitrile Rubber Seal With Snap Ring Shell Alvania Prelubricated
bore diameter:	17 mm
Bearing number	6203LLBNR
Enclosure Type	Non-Contact Seal
overall width:	12 mm

cage material:	Steel
fillet radius:	0.6 mm
finish/coating:	Uncoated
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	1.575 Inch 40 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Outer Race Width	0.472 Inch 12 Millimeter
Long Description	17MM Bore; 40MM Outside Diameter; 12MM Outer Race Diameter; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features
bearing material:	High Carbon Chrome Steel
Manufacturer Name	NTN
outer ring width:	12 mm
Weight / Kilogram	0.065
inner ring width:	12 mm
outside diameter:	40 mm
precision rating:	ISO Class 0
Internal Clearance	C3-Loose
Bore Diameter (mm)	17,000
snap ring included:	With Snap Ring
internal clearance:	CN
Outer Diameter (mm)	40,000
Minimum Buy Quantity	N/A
maximum rpm (grease):	18000 rpm

static load capacity:	4600 N
row type & fill slot:	Single Row Non-Fill Slot
dynamic load capacity:	9600 N
Harmonized Tariff Code	8482.10.50.68
Manufacturer Item Number	6203LLBNR
Internal Special Features	No
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No