




Bearing No. 7406BG

D	90,000 mm
d	30,000 mm
B	23,000 mm
C	23,000 mm
Noun	Bearing
Bore	1.181 Inch 30 Millimeter
Width	0.906 Inch 23 Millimeter
UNSPSC	31171531
weight:	0.822 kg
Category	Angular Contact Ball Bearing
Snap Ring	No
Enclosure	Open
Size (mm)	30x90x23
Inventory	0.0
Width (mm)	23,000
bore type:	Round
Flush Ground	Yes
maximum rpm:	9000 rpm
Weight / LBS	1.817
Product Group	B00308
closure type:	Open
Cage Material	Steel
Contact Angle	40 Degree
Inch - Metric	Metric
contact angle:	40 °
cage material:	Brass
overall width:	25 mm
bore diameter:	30 mm

fillet radius:	1 mm
Keyword String	Angular Contact
Bearing number	7406BG
Rolling Element	Ball Bearing
finish/coating:	Uncoated
Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	3.543 Inch 90 Millimeter
Long Description	30MM Bore; 90MM Outside Diameter; 23MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring
precision rating:	ISO Class 0
Manufacturer Name	NTN
Weight / Kilogram	0.83
outside diameter:	90 mm
bearing material:	High Carbon Chrome Steel
Bore Diameter (mm)	30,000
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
snap ring included:	Without Snap Ring
Outer Diameter (mm)	90,000
Mounting Arrangement	Universal
Minimum Buy Quantity	N/A
row type & fill slot:	Single-Row Non-Fill Slot
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Single Row
Manufacturer Item Number	7406BG

manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
radial static load capacity:	16200 N
radial dynamic load capacity:	30500 N
Maximum Capacity / Filling Slot	No