



Bearing No. 6206ZZNR

D	62,000 mm
d	30,000 mm
B	16,000 mm
C	16,000 mm
Noun	Bearing
Bore	1.181 Inch 30 Millimeter
UNSPSC	31171504
Category	Single Row Ball Bearing
Size (mm)	30x62x16
Snap Ring	Yes
Inventory	0.0
Enclosure	2 Metal Shields
bore type:	Round
Width (mm)	16,000
Weight / LBS	0.451
Product Group	B00308
closure type:	Double Shielded
Cage Material	Steel
Inch - Metric	Metric
overall width:	16 mm
bore diameter:	30 mm
Other Features	Deep Groove With Snap Ring Shell Alvania Prelubricated
cage material:	Steel
fillet radius:	1 mm
Bearing number	6206ZZNR
Keyword String	Ball
Rolling Element	Ball Bearing
finish/coating:	Uncoated

Precision Class	ABEC 1 ISO P0
Outer Race Width	0.63 Inch 16 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	2.441 Inch 62 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Long Description	30MM Bore; 62MM Outside Diameter; 16MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features
Weight / Kilogram	0.21
precision rating:	ISO Class 0
inner ring width:	16 mm
Manufacturer Name	NTN
bearing material:	High Carbon Chrome Steel
outer ring width:	16 mm
outside diameter:	62 mm
Bore Diameter (mm)	30,000
Internal Clearance	C3-Loose
internal clearance:	CN
Outer Diameter (mm)	62,000
snap ring included:	With Snap Ring
Minimum Buy Quantity	N/A
maximum rpm (grease):	11000 rpm
row type & fill slot:	Single Row Non-Fill Slot
static load capacity:	11300 N
dynamic load capacity:	19500 N
Harmonized Tariff Code	8482.10.50.68
Manufacturer Item	6206ZZNR

Number	
Internal Special Features	No
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No