




Bearing No. 7332BG

C	68,000 mm
a	139 mm
d	160,000 mm
D	340,000 mm
B	68,000 mm
d1	224.8 mm
D2	303.4 mm
D1	275.6 mm
d2	224.8 mm
Mass	30.4 kg
Noun	Bearing
Bore	6.299 Inch 160 Millimeter
Width	2.677 Inch 68 Millimeter
Db max	331.5 mm
Da max	322 mm
da min	178 mm
UNSPSC	31171531
ra max	3 mm
rs min	4 mm
r1a max	1.5 mm
r1s min	1.5 mm
Category	Angular Contact Ball Bearing
Enclosure	Open
Snap Ring	No
Inventory	0.0
Size (mm)	160x340x68
Nlim (oil)	2,400 rpm
Width (mm)	68,000

Flush Ground	Yes
Weight / LBS	67.184
Cage Material	Steel
Contact Angle	40 Degree
Nlim (grease)	1,800 rpm
Inch - Metric	Metric
Product Group	B00308
Keyword String	Angular Contact
Bearing number	7332BG
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Dynamic load, C	315 kN
Static load, C0	385 kN
Outside Diameter	13.386 Inch 340 Millimeter
Long Description	160MM Bore; 340MM Outside Diameter; 68MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring
Contact angle ?	40 °
Manufacturer URL	http://www.ntnamerica.com
Weight / Kilogram	30.5
Manufacturer Name	NTN
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Bore Diameter (mm)	160,000
Outer Diameter (mm)	340,000
Mounting Arrangement	Universal
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.28

Radial clearance class	CN
Fatigue limit load, Cu	23.3 kN
Number of Rows of Balls	Single Row
Manufacturer Item Number	7332BG
Min operating temperature, Tmin	-40 °C
Max operating temperature, Tmax	120 °C
Maximum Capacity / Filling Slot	No