



Bearing No. 6207

D	72 mm
d	35 mm
B	17 mm
C	17 mm
r	1.1
Z_	9
B_	17
D_	72
ra	1
C0	15.3
fo	13.8
DI_	42.388
SRI	5.61
D_a	65.5
DE_	64.612
DA_	11.112
SRE	5.89
SRIN	0
mass	0.284
Noun	Bearing
SRIX	0.025
SREN	0
Bore	1.378 Inch 35 Millimeter
KBRG	6101
SREX	0.05
bomp	0
SDM_	53.5
yobi	6207
SBRG	2

UNSPSC	31171504
LangID	1
r min.	1,1 mm
da min	41.5
C_conv	25700
ALPHA_	0
Weight	0,284 Kg
da max	44,5 mm
Da max.	65,5 mm
da min.	41,5 mm
Oil rpm	11000
ra max.	1 mm
GRS rpm	9500
hidYobi	6207
hidTable	ecat_NSRDGB
Category	Single Row Ball Bearing
Inventory	0.0
Size (mm)	35x72x17
Snap Ring	No
Enclosure	Open
Width (mm)	17
Prod_Type3	DGBB_SR_OT
Weight / LBS	0.634
Product Group	B00308
Inch - Metric	Metric
Cage Material	Steel
Bearing number	6207
Keyword String	Ball
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.nskamericas.com
Outside Diameter	2.835 Inch 72

	Millimeter
Outer Race Width	0.669 Inch 17 Millimeter
Long Description	35MM Bore; 72MM Outside Diameter; 17MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Weight / Kilogram	0.284
Manufacturer Name	NSK
Internal Clearance	C0-Medium
Bore Diameter (mm)	35
Outer Diameter (mm)	72
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	11 000 r/min
Manufacturer Item Number	6207
Internal Special Features	No
(Grease) Lubrication Speed	9 500 r/min
Basic static load rating (C0)	15,3 kN
Basic dynamic load rating (C)	25,7 kN
Maximum Capacity / Filling Slot	No