



Bearing No. 7204B

a	21.5 mm
d	20 mm
D	47 mm
B	14 mm
C	14 mm
Cr	17.6
f0	-
Cu	0.550
C0r	8.40
Noun	Bearing
Bore	0.787 Inch 20 Millimeter
Width	0.551 Inch 14 Millimeter
a(mm)	21.5
UNSPSC	31171531
r(min)	1
r min.	1 mm
Weight	0.112 Kg
da min.	25.5 mm
ra(max)	1
ra max.	1 mm
r1 min.	0.6 mm
Da max.	41.5 mm
da(min)	25.5
r1(min)	0.6
Da(max)	41.5
Category	Angular Contact Ball Bearing
Oil lub.	13000
Snap Ring	No

Enclosure	Open
Size (mm)	20x47x14
Inventory	0.0
Width (mm)	14
Bearing No.	7204B
Grease lub.	10000
Flush Ground	No
Contact Angle	40 Degree
Inch - Metric	Metric
Cage Material	Steel
Product Group	B00308
Keyword String	Angular Contact
Bearing number	7204B
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Angle (?)	40 °
(Refer.)Mass(kg)	0.112
Outside Diameter	1.85 Inch 47 Millimeter
Manufacturer URL	http://www.koyousa.com
Long Description	20MM Bore; 47MM Outside Diameter; 14MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 40 Degree; 1 (Single)
Weight / Kilogram	0
Manufacturer Name	KOYO
Number of Bearings	1 (Single)
Internal Clearance	C0-Medium
Bore Diameter (mm)	20
Outer Diameter (mm)	47

Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Single Row
(Grease) Lubrication Speed	13 000 r/min
Maximum Capacity / Filling Slot	No