



Bearing No. 6207NR

f	1,65 mm
d	35 mm
D	72 mm
B	17 mm
C	17 mm
a	3,28 mm
b	2,05 mm
Cr	32.1
f0	13.9
Cu	1.10
D2	78,6 mm
D1	68,81 mm
C0r	15.4
Bore	1.378 Inch 35 Millimeter
Noun	Bearing
r min.	1,1 mm
r(min)	1.1
UNSPSC	31171504
Weight	0,288 Kg
r1(min)	0.5
da(min)	41.5
D2(min)	78.6
Da(max)	65.5
rb(max)	0.5
ra(max)	1
Dx(min)	80
r0 max.	0,6 mm
r1 min.	0,5 mm
da min.	41,5 mm

Cy(max)	4.67
Da max.	65,5 mm
Category	Single Row Ball Bearing
Oil lub.	11000
Snap Ring	Yes
Size (mm)	35x72x17
Inventory	0.0
Enclosure	Open
Width (mm)	17
Grease lub.	9200
f(}0.05)	1.65
Bearing No.	6207NR
Weight / LBS	0.63493
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00308
Bearing number	6207NR
Other Features	Deep Groove With Snap Ring
Keyword String	Ball
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Manufacturer URL	http://www.koyousa.com
Long Description	35MM Bore; 72MM Outside Diameter; 17MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
(Refer.)Mass(kg)	0.288
Outer Race Width	0.669 Inch 17 Millimeter

Outside Diameter	2.835 Inch 72 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Weight / Kilogram	0.32
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	35
Outer Diameter (mm)	72
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	11000 r/min
Internal Special Features	No
(Grease) Lubrication Speed	9200 r/min
Basic static load rating (C0)	15,4 kN
Basic dynamic load rating (C)	25,7 kN
Maximum Capacity / Filling Slot	No