



## Bearing No. 7206BDB

D	62 mm
d	30 mm
B	16 mm
C	16 mm
a	27,5 mm
2B	32 mm
Bore	1.181 Inch   30 Millimeter
Noun	Bearing
Width	1.26 Inch   32 Millimeter
UNSPSC	31171531
Weight	0,394 Kg
Db max	57,5 mm
r min.	1 mm
ra max.	1 mm
da min.	35,5 mm
r1 min.	0,6 mm
ra1 max.	0,6 mm
Category	Angular Contact Ball Bearing
Snap Ring	No
Inventory	0.0
Size (mm)	30x62x16
Enclosure	Open
Width (mm)	16
Weight / LBS	0.877
Flush Ground	Yes
Inch - Metric	Metric
Contact Angle	40 Degree
Cage Material	Steel
Product Group	B00308

Keyword String	Angular Contact
Bearing number	7206BDB
Precision Class	ABEC 1   ISO P0
Rolling Element	Ball Bearing
Angle (?)	40 °
Long Description	30MM Bore; 62MM Outside Diameter; 32MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1   ISO P0; No Filling Slot; No Snap Ring
Outside Diameter	2.441 Inch   62 Millimeter
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Weight / Kilogram	0.397
Manufacturer Name	NTN
Number of Bearings	2 (1 Pair)
Internal Clearance	C0-Medium
Bore Diameter (mm)	30
Outer Diameter (mm)	62
Mounting Arrangement	Duplex-Back to Back
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Single Row
Manufacturer Item Number	7206BDB
(Grease) Lubrication Speed	8 600 r/min
Basic static load rating (C0)	27,1 kN
Basic dynamic load rating (C)	33,5 kN
Maximum Capacity /	No

Filling Slot	
--------------	--