



Bearing No. 7206CP5

D	62 mm
d	30 mm
B	16 mm
C	16 mm
Noun	Bearing
Bore	1.181 Inch 30 Millimeter
Width	0.63 Inch 16 Millimeter
UNSPSC	31171531
Preload	None
series:	72C
weight:	0.191 kg
Category	Precision Ball Bearings
Enclosure	Open
Size (mm)	30x62x16
Inventory	0.0
bore type:	Round
Width (mm)	16
Weight / LBS	0.421
maximum rpm:	24500 rpm
Flush Ground	No
Inch - Metric	Metric
Cage Material	Nylon
Product Group	B04270
Raceway Style	1 Rib Outer Ring
Contact Angle	15 Degree
closure type:	Open
bore diameter:	30 mm
overall width:	16 mm
cage material:	Nylon

contact angle:	15 °
Bearing number	7206CP5
Other Features	Single Row Angular Contact
Keyword String	Angular Contact Ball
fillet radius:	1 mm
Rolling Element	Ball Bearing
Material - Ball	Steel
finish/coating:	Uncoated
Angle (?)	15 °
Precision Class	ABEC 5 ISO P5
Long Description	30MM Bore; 62MM Outside Diameter; 16MM Width; Open Enclosure; ABEC 5 ISO P5 Precision; Steel Ball Material; 1 (Single) Bearings; 15 Degree Contact Angle; Nylon Cage Material; 1 Rib Outer Ring Racewa
Outside Diameter	2.441 Inch 62 Millimeter
Manufacturer URL	http://www.ntnamerica.com
outer ring width:	16 mm
precision rating:	ISO Class 5
Weight / Kilogram	0.191
Manufacturer Name	NTN
outside diameter:	62 mm
bearing material:	High Carbon Chrome Steel
Number of Bearings	1 (Single)
Bore Diameter (mm)	30
snap ring included:	Without Snap Ring
internal clearance:	C0

Outer Diameter (mm)	62
Minimum Buy Quantity	N/A
row type & fill slot:	Single-Row Non-Fill Slot
Harmonized Tariff Code	8482.10.50.28
Manufacturer Item Number	7206CP5
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
radial static load capacity:	14700 N
radial dynamic load capacity:	23000 N