



Bearing No. 7206DB

a	21,5 mm
d	30 mm
D	62 mm
B	16 mm
C	16 mm
2B	32 mm
Bore	1.181 Inch 30 Millimeter
Noun	Bearing
Width	1.26 Inch 32 Millimeter
Weight	0,386 Kg
Db max	57,5 mm
UNSPSC	31171531
r min.	1 mm
da min.	35,5 mm
ra max.	1 mm
r1 min.	0,6 mm
ra1 max.	0,6 mm
Category	Angular Contact Ball Bearing
Size (mm)	30x62x16
Snap Ring	No
Enclosure	Open
Inventory	0.0
Width (mm)	16
Weight / LBS	0.858
Flush Ground	Yes
Inch - Metric	Metric
Cage Material	Steel
Contact Angle	30 Degree
Product Group	B00308

Keyword String	Angular Contact
Bearing number	7206DB
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Angle (?)	25 °
Manufacturer URL	http://www.ntnamerica.com
Long Description	30MM Bore; 62MM Outside Diameter; 32MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring
Outside Diameter	2.441 Inch 62 Millimeter
Weight / Kilogram	0.388
Manufacturer Name	NTN
Internal Clearance	C0-Medium
Number of Bearings	2 (1 Pair)
Bore Diameter (mm)	30
Outer Diameter (mm)	62
Mounting Arrangement	Duplex-Back to Back
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Single Row
Manufacturer Item Number	7206DB
(Grease) Lubrication Speed	9 800 r/min
Basic static load rating (C0)	29,6 kN
Basic dynamic load rating (C)	36,5 kN
Maximum Capacity /	No

Filling Slot	
--------------	--