




Bearing No. WC87504

C	15,875 mm
d	20,000 mm
B	15,875 mm
D	47,000 mm
Bore	0.787 Inch 20 Millimeter
Noun	Bearing
UNSPSC	31171504
series:	WC8
Category	Single Row Ball Bearing
Size (mm)	20x47x15.875
Inventory	0.0
Enclosure	1 Seal-1 Metal Shield
Snap Ring	No
Width (mm)	15,875
bore type:	Round
Weight / LBS	0.26
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00234
closure type:	One Seal/One Shield
bore diameter:	20 mm
overall width:	15.875 mm
Keyword String	Ball
fillet radius:	1 mm
cage material:	Steel
Bearing number	WC87504
Other Features	Deep Groove Felt Seal Shell Alvania Prelubricated
Enclosure Type	Contact Seal

finish/coating:	Uncoated
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.ntnamerica.com
Inner Race Width	0.6 Inch 15.24 Millimeter
Outer Race Width	0.625 Inch 15.875 Millimeter
Outside Diameter	1.85 Inch 47 Millimeter
Long Description	20MM Bore; 47MM Outside Diameter; 15.875MM Outer Race Width; 1 Seal-1 Metal Shield; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; Smaller Inner Ring Internal Special Features; C0-Medium
outer ring width:	15.875 mm
inner ring width:	15.24 mm
Manufacturer Name	NTN
Weight / Kilogram	0
bearing material:	High Carbon Chrome Steel
outside diameter:	47 mm
precision rating:	ISO Class 0
Bore Diameter (mm)	20,000
Internal Clearance	C0-Medium
Outer Diameter (mm)	47,000
internal clearance:	CN
snap ring included:	Without Snap Ring
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm (grease):	10000 rpm

static load capacity:	6650 N
Harmonized Tariff Code	8482.10.50.68
dynamic load capacity:	12900 N
Internal Special Features	Smaller Inner Ring
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No