



Bearing No. 7208CDB/GNP5

D	80 mm
d	40 mm
B	36 mm
C	36 mm
Noun	Bearing
Bore	1.575 Inch 40 Millimeter
Width	1.417 Inch 36 Millimeter
UNSPSC	31171531
Preload	Light
Category	Precision Ball Bearings
Enclosure	Open
Size (mm)	40x80x36
Inventory	0.0
Width (mm)	36
Weight / LBS	1.596
Flush Ground	Yes
duplex type:	Back to Back
Product Group	B04270
Contact Angle	15 Degree
closure type:	Open
Raceway Style	1 Rib Outer Ring
Cage Material	Nylon
Inch - Metric	Metric
bore diameter:	40 mm
Keyword String	Angular Contact Ball
Other Features	Single Row Angular Contact
Bearing number	7208CDB/GNP5
cage material:	Steel

overall width:	36 mm
contact angle:	15 °
fillet radius:	1.1 mm
Rolling Element	Ball Bearing
Precision Class	ABEC 5 ISO P5
finish/coating:	Uncoated
Angle (?)	15 °
Material - Ball	Steel
Outside Diameter	3.15 Inch 80 Millimeter
Long Description	40MM Bore; 80MM Outside Diameter; 36MM Width; Open Enclosure; ABEC 5 ISO P5 Precision; Steel Ball Material; 2 (1 Pair) Bearings; 15 Degree Contact Angle; Nylon Cage Material; 1 Rib Outer Ring Racewa
Manufacturer URL	http://www.ntnamerica.com
bearing material:	High Carbon Chrome Steel
Weight / Kilogram	0.73
outer ring width:	18 mm
inner ring width:	18 mm
Manufacturer Name	NTN
outside diameter:	80 mm
precision rating:	ISO Class 5
Number of Bearings	2 (1 Pair)
maximum rpm (oil):	15000 rpm
Bore Diameter (mm)	40
Outer Diameter (mm)	80
Mounting Arrangement	Duplex-Back to Back
Minimum Buy Quantity	N/A
maximum rpm (grease):	11000 rpm

Harmonized Tariff Code	8482.10.50.28
Manufacturer Item Number	7208CDB/GNP5
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
radial static load capacity:	50500 N
radial dynamic load capacity:	59000 N