



Bearing No. 7208DB

B	18 mm
a	26,5 mm
C	18 mm
d	40 mm
D	80 mm
2B	36 mm
Noun	Bearing
Bore	1.575 Inch 40 Millimeter
Width	1.417 Inch 36 Millimeter
Weight	0,71 Kg
r min.	1,1 mm
Db max	75,5 mm
UNSPSC	31171531
r1 min.	0,6 mm
da min.	47 mm
ra max.	1 mm
Category	Angular Contact Ball Bearing
ra1 max.	0,6 mm
Snap Ring	No
Size (mm)	40x80x18
Inventory	1.0
Enclosure	Open
Width (mm)	18
Flush Ground	Yes
Contact Angle	30 Degree
Inch - Metric	Metric
Cage Material	Steel
Product Group	B00308

Keyword String	Angular Contact
Bearing number	7208DB
Rolling Element	Ball Bearing
Angle (?)	25 °
Precision Class	ABEC 1 ISO P0
Outside Diameter	3.15 Inch 80 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Long Description	40MM Bore; 80MM Outside Diameter; 36MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 30 Degree; 2 (1 Pair); D
Weight / Kilogram	0.74
Manufacturer Name	NTN
Bore Diameter (mm)	40
Internal Clearance	C0-Medium
Number of Bearings	2 (1 Pair)
Outer Diameter (mm)	80
Minimum Buy Quantity	N/A
Mounting Arrangement	Duplex-Back to Back
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Single Row
Manufacturer Item Number	7208DB
(Grease) Lubrication Speed	7 700 r/min
Basic dynamic load rating (C)	57,5 kN
Basic static load rating (C0)	50,5 kN

Maximum Capacity / Filling Slot	No
------------------------------------	----